

Chapter 8.1

AN UPDATE OF WORK PUBLISHED ON *LOTUS JAPONICUS*

Marco Betti and Antonio J Márquez*

*Departamento de Bioquímica Vegetal y Biología Molecular, Facultad de Química, Universidad de Sevilla, Apartado 553, 41080-Sevilla, SPAIN. *Corresponding author.*

Email: cabeza@us.es

Phone: +34 954 557 145 Fax: +34 954 626 853

The following selection of Lotus japonicus literature is arranged in chronological order to provide historical context.

REFERENCES

- Márquez AJ, Orea A, Pajuelo P, Pajuelo E, Romero JM, Arcondéguy T, Betti M, García-Calderón M, Estivill G, and Pal'ove-Balang P. (2004) **Nitrogen assimilation in roots of the model legume *Lotus japonicus***. *Biologia, Bratislava*, 59/Suppl. 13, 69-76.
- Imaizumi-Anraku H, Takeda N, Charpentier M, Perry J, Miwa H, Umehara Y, Kouchi H, Murakami Y, Mulder L, Vickers K, Pike J, Allan Downie J, Wang T, Sato S, Asamizu E, Tabata S, Yoshikawa M, Murooka Y, Wu GJ, Kawaguchi M, Kawasaki S, Parniske M, and Hayashi M. (2004) **Plastid proteins crucial for symbiotic fungal and bacterial entry into plant roots**. *Nature* (Epub 2004 Dec 22).
- Hakozaki H, Endo M, Masuko H, Park JI, Ito H, Uchida M, Kamada M, Takahashi H, Higashitani A, and Watanabe M. (2004) **Cloning and expression pattern of a novel microspore-specific gene encoding hypersensitive-induced response protein (LjHIR1) from the model legume, *Lotus japonicus***. *Genes & Genetic Systems* 79, 307-310.
- Flemetakis E, Efröse RC, Desbrosses G, Dimou M, Delis C, Aivalakis G, Udvardi MK, and Katinakis P. (2004) **Induction and Spatial Organization of Polyamine Biosynthesis During Nodule Development in *Lotus japonicus***. *Molecular Plant-Microbe Interactions* 17, 1283-1293.
- Choi HK, Mun JH, Kim DJ, Zhu HY, Baek JM, Mudge J, Roe B, Ellis N, Doyle J, Kiss GB, Young ND, and Cook DR. (2004) **Estimating genome conservation between crop and model legume species**. *Proceeding of the National Academy of Sciences of the United States of America* 101, 15289-15294.
- Suganuma N, Yamamoto A, Itou A, Hakoyama T, Banba M, Hata S, Kawaguchi M, and Kouchi H. (2004) **cDNA macroarray analysis of gene expression in ineffective nodules**

A.J. Márquez (Editorial Director). 2005. *Lotus japonicus* Handbook. pp. 365-381.
<http://www.springer.com/life+sci/plant+sciences/book/978-1-4020-3734-4>

induced on the *Lotus japonicus* sen1 mutant. *Molecular Plant-Microbe Interactions* 17, 1223-1233.

Kouchi H, Shimomura K, Hata S, Hirota A, Wu GJ, Kumagai H, Tajima S, Suganuma N, Suzuki A, Aoki T, Hayashi M, Yokoyama T, Ohyama T, Asamizu E, Kuwata C, Shibata D, and Tabata S. (2004) **Large-scale analysis of gene expression profiles during early stages of root nodule formation in a model legume, *Lotus japonicus*.** *DNA Research* 4, 263-274.

Kalsi G, Roberts NJ, Day RB, Stacey G, and Etzler ME. (2004) **Expression of *Dolichos biflorus* LNP in *Lotus japonicus* broadens its host-strain specificity.** *Glycobiology* 14, 1130-1130.

Ortega JL, Temple SJ, Bagga S, Ghoshroy S, and Sengupta-Gopalan C. (2004) **Biochemical and molecular characterization of transgenic *Lotus japonicus* plants constitutively over-expressing a cytosolic glutamine synthetase gene.** *Planta* 219, 807-818.

Ferraioli S, Tate R, Rogato A, Chiurazzi M, and Patriarca EJ. (2004) **Development of ectopic roots from abortive nodule primordia.** *Molecular Plant-Microbe Interactions* 17, 1043-1050.

Kinoshita N, Ooki Y, Deguchi Y, Chechetka SA, Kouchi H, Umehara Y, Izui K, and Hata S. (2004) **Cloning and expression analysis of a MAPKKK gene and a novel nodulin gene of *Lotus japonicus*.** *Bioscience Biotechnology and Biochemistry* 68, 1805-1807.

Arimura G, Ozawa R, Kugimiya S, Takabayashi J, and Bohlmann J. (2004) **Herbivore-induced defense response in a model legume. Two-spotted spider mites induce emission of (E)-beta-ocimene and transcript accumulation of (E)-beta-ocimene synthase in *Lotus japonicus*.** *Plant Physiology* 135, 1976-1983

Valot B, Gianinazzi S, and Eliane DG. (2004) **Sub-cellular proteomic analysis of a *Medicago truncatula* root microsomal fraction.** *Phytochemistry* 65, 1721-1732.

Suzuki A, Akune M, Kogiso M, Imagama Y, Osuki K, Uchiumi T, Higashi S, Han SY, Yoshida S, Asami T, and Abe M. (2004) **Control of nodule number by the phytohormone abscisic acid in the roots of two leguminous species.** *Plant and Cell Physiology* 45, 914-922.

Gaude N, Tippmann H, Flietakis E, Katinakis P, Udvardi M, and Dormann P. (2004) **The galactolipid digalactosyldiacylglycerol accumulates in the peribacteroid membrane of nitrogen-fixing nodules of soybean and *Lotus*.** *Journal of Biological Chemistry* 279, 34624-34630.

Asamizu E, Nakamura Y, Sato S, and Tabata S. (2004) **Characteristics of the *Lotus japonicus* gene repertoire deduced from large-scale expressed sequence tag (EST) analysis.** *Plant Molecular Biology* 54, 405-414.

Colebatch G, Desbrosses G, Ott T, Krusell L, Montanari O, Kloska S, Kopka J, and Udvardi MK. (2004) **Global changes in transcription orchestrate metabolic differentiation during symbiotic nitrogen fixation in *Lotus japonicus*.** *Plant Journal* 39, 487-512.

Parniske M. (2004) **Molecular genetics of the arbuscular mycorrhizal symbiosis.** *Current Opinion in Plant Biology* 7, 414-421.

Graham MA, Silverstein KAT, Cannon SB, and VandenBosch KA. (2004) **Computational identification and characterization of novel genes from legumes.** *Plant Physiology* 135, 1179-1197.

Demchenko K, Winzer T, Stougaard J, Parniske M, and Pawlowski K. (2004) **Distinct roles of *Lotus japonicus* SYMRK and SYM15 in root colonization and arbuscule formation.** *New Phytologist* 163, 381-392.

A.J. Márquez (Editorial Director). 2005. *Lotus japonicus* Handbook. pp. 365-381.
<http://www.springer.com/life+sci/plant+sciences/book/978-1-4020-3734-4>

Desbrosses G, Kopka C, Ott T, and Udvardi MK. (2004) ***Lotus japonicus* LjKUP is induced late during nodule development and encodes a potassium transporter of the plasma membrane.** *Molecular Plant-Microbe Interactions* 17, 789-797.

Tansengco ML, Imaizumi-Anraku H, Yoshikawa M, Takagi S, Kawaguchi M, Hayashi M, and Murooka Y. (2004) **Pollen development and tube growth are affected in the symbiotic mutant of *Lotus japonicus* crinkle.** *Plant and Cell Physiology* 45, 511-520.

Spaink HP. (2004) **Specific recognition of bacteria by plant LysM domain receptor kinases.** *Trend in Microbiology* 12, 201-204.

Forslund K, Moran M, Jorgensen B, Olsen CE, Asamizu E, Sato S, Tabata S, and Bak S. (2004) **Biosynthesis of the nitrile glucosides rhodiocyanoside A and D and the cyanogenic glucosides lotaustralin and linamarin in *Lotus japonicus*.** *Plant Physiology* 135, 71-84.

Nukui N, Ezura H, and Minamisawa K. (2004) **Transgenic *Lotus japonicus* with an ethylene receptor gene Cm-ERS1/H70A enhances formation of infection threads and nodule primordia.** *Plant and Cell Physiology* 45, 427-435.

D'Apuzzo E, Rogato A, Simon-Rosin U, El Alaoui H, Barbulova A, Betti M, Dimou M, Katinakis P, Marquez A, Marini AM, Udvardi MK, and Chiurazzi M. (2004) **Characterization of three functional high-affinity ammonium transporters in *Lotus japonicus* with differential transcriptional regulation spatial expression.** *Plant Physiology* 134, 1763-1774.

Aoki T, Sawai S, and Ayabe S. (2004) **Structures and functions of oxidosqualene cyclase gene in families in *Lotus japonicus*.** *Plant and Cell Physiology* 45, S5-S5.

Tabata S. (2004) **Resources for genomics and genetics in a legume, *Lotus japonicus*.** *Plant and Cell Physiology* 45, S15-S15.

Akashi R. (2004) **The National Bio Resource Project for the Legume, *Lotus japonicus* and *Glycine max*.** *Plant and Cell Physiology* 45, S15-S15.

Nakamura Y, Kaneko T, Asamizu E, Kato T, Sato S, and Tabata S. (2004) **Current status of a large scale genome analysis of a model legume, *Lotus japonicus*.** *Plant and Cell Physiology* 45, S37-S37.

Imaizumi-Anraku H, Takeda N, Umehara Y, Murakami Y, Yoshikawa M, Sato S, Asamizu E, Tabata S, Charpentier M, Mulder L, Perry J, Parniske M, Murooka Y, Kouchi H, Kawaguchi M, Hayashi M, and Kawasaki S. (2004) **TRINITY controls nodulation and mycorrhization concomitantly in *Lotus japonicus*.** *Plant and Cell Physiology* 45, S137-S137.

Yano K, Vickers K, Perry J, Sato S, Asamizu E, Tabata S, Kawaguchi M, Murooka Y, Parniske M, and Hayashi M. (2004) **SYM82 of *Lotus japonicus* is required for symbiosis of rhizobia and arbuscular mycorrhizal fungi.** *Plant and Cell Physiology* 45, S138-S138.

Hayashi M, Tansengco M, Yano K, Imaizumi-Anraku H, Kawasaki S, Sato S, Tabata S, Kawaguchi M, and Murooka Y. (2004) **Genetic analysis of infection thread mutants in *Lotus japonicus*.** *Plant and Cell Physiology* 45, S138-S138.

Ishikawa N, Sakai T, Inada S, and Tsukaya H. (2004) **Analysis of the stipule-less mutants in *Lotus japonicus*.** *Plant and Cell Physiology* 45, S163-S163.

Nishida H, Sakurai N, Suzuki H, and Shibata D. (2004) **cDNA macroarray analysis in *Lotus japonicus* suspension-cultured cells.** *Plant and Cell Physiology* 45, S166-S166.

Takikawa Y, Kakutani K, Moriura N, Yokoyama H, Nonomura T, Matsuda Y, and Toyoda H. (2004) **Expression analysis of transporter genes in *Lotus japonicus*.** *Plant and Cell Physiology* 45, S168-S168.

A.J. Márquez (Editorial Director). 2005. *Lotus japonicus* Handbook. pp. 365-381.
<http://www.springer.com/life+sci/plant+sciences/book/978-1-4020-3734-4>

Mai TH, Nomura M, Hirashima Y, Isomoto M, Okamoto E, Asamizu E, Sato S, Kato T, Tabata S, Takegawa K, and Tajima S. (2004) **Functional analysis of Sed5-like gene in *Lotus japonicus***. *Plant and Cell Physiology* 45, S169-S169.

Nomura M, Fujii M, Kenmotsu T, Hata S, and Tajima S. (2004) **Functional analysis of PEPC in *Lotus japonicus***. *Plant and Cell Physiology* 45, S170-S170.

Shimoda Y, Suzuki A, Abe M, Higashi S, Sato S, Tabata S, and Uchiumi T. (2004) **Functions of nonsymbiotic globin genes in *Lotus japonicus***. *Plant and Cell Physiology* 45, S171-S171.

Kumagai H, Umehara Y, Sato S, Kaneko T, Tabata S, and Kouchi H. (2004) **Phenotypic and genetic analysis of the *Lotus japonicus* symbiotic mutant 56M**. *Plant and Cell Physiology* 45, S187-S187.

Umehara Y, Chen WL, Hossain MS, Maekawa T, Hayashi M, Kojima T, Ohtomo R, Hayashi M, Harada K, and Kouchi H. (2004) **Symbiotic mutants of *Lotus japonicus* derived from cultured cells**. *Plant and Cell Physiology* 45, S188-S188.

Maekawa T, Hayashi M, Asamizu E, Tabata S, Kouchi H, Murooka Y. (2004) **Transcriptional analysis of nitrate response in root hairs of *Lotus japonicus*, jasmonic acid responsive genes are controlled by nitrate**. *Plant and Cell Physiology* 45, S194-S194.

Asamizu E, Nakamura Y, Sato S, and Tabata S. (2004) **Large-scale gene expression analysis of the *Lotus japonicus* nodulation process by SAGE, and analysis of the promoter region responsible for the induction**. *Plant and Cell Physiology* 45, S202-S202.

Yano K, Sakurai N, Nishida H, Namai K, Sakai Y, Suzuki H, Asamizu E, Tabata S, Saito K, and Shibata D. (2004) **Establishment and large-scale analysis of full-length cDNA libraries in *Lotus japonicus***. *Plant and Cell Physiology* 45, S204-S204.

Nakano M, Yamamoto R, Fujisawa N, Inada S, Okada K, and Sakai T. (2004) **Comprehensive preparation of mutants in the model plant of legume, *Lotus japonicus***. *Plant and Cell Physiology* 45, S206-S206.

Yoshikawa M, Kouchi H, Takagi S, Kawaguchi M, Hayashi M, and Murooka Y. (2004) **Root hair deformation and actin cytoskeleton behavior in early symbiotic response deficient mutants of *Lotus japonicus***. *Plant and Cell Physiology* 45, S218-S218.

Lohar DP, Schaff JE, Laskey JG, Kieber JJ, Bilyeu KD, and Bird DM. (2004) **Cytokinins play opposite roles in lateral root formation, and nematode and Rhizobial symbioses**. *Plant Journal* 38, 203-214.

Uchiumi T, Ohwada T, Itakura M, Mitsui H, Nukui N, Dawadi P, Kaneko T, Tabata S, Yokoyama T, Tejima K, Saeki K, Omori H, Hayashi M, Maekawa T, Sriprang R, Murooka Y, Tajima S, Simomura K, Nomura M, Suzuki A, Shimoda Y, Sioya K, Abe M, and Minamisawa K. (2004) **Expression islands clustered on the symbiosis island of the *Mesorhizobium loti* genome**. *Journal of Bacteriology* 186, 2439-2448.

Edwards ME, Choo TS, Dickson CA, Scott C, Gidley MJ, and Reid JSG. (2004) **The seeds of *Lotus japonicus* lines transformed with sense, antisense, and sense/antisense galactomannan galactosyltransferase constructs have structurally altered galactomannans in their endosperm cell walls**. *Plant Physiology* 134, 1153-1162.

Kato T, Sato S, Nakamura Y, Kaneko T, Asamizu E, and Tabata S. (2003) **Structural analysis of a *Lotus japonicus* genome. V. Sequence features and mapping of sixty-four TAC clones which cover the 6.4 Mb regions of the genome**. *DNA Research* 10, 277-285.

Bartsev AV, Deakin WJ, Boukli NM, McAlvin CB, Stacey G, Malnoe P, Broughton WJ, and Staehelin C. (2004) **NopL, an effector protein of *Rhizobium* sp NGR234, thwarts activation of plant defense reactions**. *Plant Physiology* 134, 871-879.

A.J. Márquez (Editorial Director). 2005. *Lotus japonicus* Handbook. pp. 365-381.
<http://www.springer.com/life+sci/plant+sciences/book/978-1-4020-3734-4>

Stracke S, Sato S, Sandal N, Koyama M, Kaneko T, Tabata S, and Parniske M. (2004) **Exploitation of colinear relationships between the genomes of *Lotus japonicus*, *Pisum sativum* and *Arabidopsis thaliana*, for positional cloning of a legume symbiosis gene.** *Theoretical and Applied Genetics* S108, 442-449.

Wandrey M, Trevaskis B, Brewin N, and Udvardi MK. (2004) **Molecular and cell biology of a family of voltage-dependent anion channel porins in *Lotus japonicus*.** *Plant Physiology* 134, 182-193.

Harrison J, Hirel B, and Limami AM. (2004) **Variation in nitrate uptake and assimilation between two ecotypes of *Lotus japonicus* and their recombinant inbred lines.** *Physiologia Plantarum* 120, 124-131.

Miyake K, Ito T, Senda M, Ishikawa R, Harada T, Niizeki M, and Akada S. (2003) **Isolation of a subfamily of genes for R2R3-MYB transcription factors showing up-regulated expression under nitrogen nutrient-limited conditions.** *Plant Molecular Biology* 53, 237-245.

Cannon SB, McCombie WR, Sato S, Tabata S, Denny R, Palmer L, Katari M, Young ND, and Stacey G. (2003) **Evolution and microsynteny of the apyrase gene family in three legume genomes.** *Molecular Genetics and Genomics* 270, 347-361.

Lohar DP, and Bird DM. (2003) ***Lotus japonicus*, A new model to study root-parasitic nematodes.** *Plant and Cell Physiology* 44, 1176-1184.

Doll J, Hause B, Demchenko K, Pawlowski K, and Krajinski F. (2003) **A member of the germin-like protein family is a highly conserved mycorrhiza-specific induced gene.** *Plant and Cell Physiology* 44, 1208-1214.

Bartsev AV, Boukli NM, Deakin WJ, Staehelin C, and Broughton WJ. (2003) **Purification and phosphorylation of the effector protein NopL from *Rhizobium* sp NGR234.** *FEBS Letters* 554, 271-274.

Pacios-Bras C, Schlaman HRM, Boot K, Admiraal P, Langerak JM, Stougaard J, Spalink HP. (2003) **Auxin distribution in *Lotus japonicus* during root nodule development.** *Plant Molecular Biology* 52, 1169-1180.

Andersen SU, Cvitanich C, Hougaard BK, Roussis A, Gronlund M, Jensen DB, Frokjaer LA, and Jensen EO. (2003) **The glucocorticoid-inducible GVG system causes severe growth defects in both root and shoot of the model legume *Lotus japonicus*.** *Molecular Plant-Microbe Interactions* 16, 1069-1076.

Matamoros MA, Clemente MR, Sato S, Asamizu E, Tabata S, Ramos J, Moran JF, Stiller J, Gresshoff PM, and Becana M. (2003) **Molecular analysis of the pathway for the synthesis of thiol tripeptides in the model legume *Lotus japonicus*.** *Molecular Plant-Microbe Interactions* 16, 1039-1046.

Sawbridge T, Ong EK, Binnion C, Emmerling M, Meath K, Nunan K, O'Neill M, O'Toole F, Simmonds J, Wearne K, Winkworth A, and Spangenberg G. (2003) **Generation and analysis of expressed sequence tags in white clover (*Trifolium repens* L.).** *Plant Science* 165, 1077-1087.

Bertioli DJ, Leal-Bertioli SCM, Lion MB, Santos VL, Pappas G, Cannon SB, and Guimaraes PM. (2003) **A large scale analysis of resistance gene homologues in *Arachis*.** *Molecular Genetics and Genomics* 270, 34-45.

Radutoiu S, Madsen LH, Madsen EB, Felle HH, Umehara Y, Gronlund M, Sato S, Nakamura Y, Tabata S, Sandal N, and Stougaard J. (2003) **Plant recognition of symbiotic bacteria requires two LysM receptor-like kinases.** *Nature* 425, 585-592.

A.J. Márquez (Editorial Director). 2005. *Lotus japonicus* Handbook. pp. 365-381.
<http://www.springer.com/life+sci/plant+sciences/book/978-1-4020-3734-4>

Madsen EB, Madsen LH, Radutoiu S, Olbryt M, Rakwalska M, Szczyglowski K, Sato S, Kaneko T, Tabata S, Sandal N, and Stougaard J. (2003) **A receptor kinase gene of the LysM type is involved in legume perception of rhizobial signals.** *Nature* 425, 637-640.

Harrison J, de Crescenzo MAP, Sene O, and Hirel B. (2003) **Does lowering glutamine synthetase activity in nodules modify nitrogen metabolism and growth of *Lotus japonicus*?** *Plant Physiology* 133, 253-262.

VandenBosch KA, and Stacey G. (2003) **Summaries of legume genomics projects from around the globe. Community resources for crops and models.** *Plant Physiology* 131, 840-865.

Perry JA, Wang TL, Welham TJ, Gardner S, Pike JM, Yoshida S, and Parniske M. (2003) **A TILLING reverse genetics tool and a web-accessible collection of mutants of the legume *Lotus japonicus*.** *Plant Physiology* 131, 866-871.

Somers DA, Samac DA, and Olhoft PM. (2003) **Recent advances in legume transformation.** *Plant Physiology* 131, 892-899.

Szczyglowski K, and Amyot L. (2003) **Symbiosis, inventiveness by recruitment?** *Plant Physiology* 131, 935-940.

Shimada N, Aoki T, Sato S, Nakamura Y, Tabata S, and Ayabe S. (2003) **A cluster of genes encodes the two types of chalcone isomerase involved in the biosynthesis of general flavonoids and legume-specific 5-deoxy(iso)flavonoids in *Lotus japonicus*.** *Plant Physiology* 131, 941-951.

Borisov AY, Madsen LH, Tsyganov VE, Umehara Y, Voroshilova VA, Batagov AO, Sandal N, Mortensen A, Schauser L, Ellis N, Tikhonovich IA, and Stougaard, J. (2003) **The sym35 gene required for root nodule development in pea is an ortholog of nin from *Lotus japonicus*.** *Plant Physiology* 131, 1009-1017.

Tansengco ML, Hayashi M, Kawaguchi M, Imaizumi-Anraku H, and Murooka Y. (2003) **crinkle, a novel symbiotic mutant that affects the infection thread growth and alters the root hair, trichome, and seed development in *Lotus japonicus*.** *Plant Physiology* 131, 1054-1063.

Wienkoop S, and Saalbach G. (2003) **Proteome analysis. Novel proteins identified at the peribacteroid membrane from *Lotus japonicus* root nodules.** *Plant Physiology* 131, 1080-1090.

Flemetakis E, Dimou M, Cotzur D, Aivalakis G, Efrose RC, Kenoutis C, Udvardi M, and Katinakis P. (2003) **A *Lotus japonicus* beta-type carbonic anhydrase gene expression pattern suggests distinct physiological roles during nodule development.** *Biochimica et Biophysica Acta-Gene Structure and Expression* 1628, 186-194.

Santi C, von Groll U, Ribeiro A, Chiurazzi M, Auguy F, Bogusz D, Franche C, and Pawlowski K. (2003) **Comparison of nodule induction in legume and actinorhizal symbioses, The induction of actinorhizal nodules does not involve ENOD40.** *Molecular Plant-Microbe Interactions* 16, 808-816.

Kato K, Kanahama K, and Kanayama Y. (2003) **Nitrate-independent expression of plant nitrate reductase in *Lotus japonicus* root nodules.** *Plant and Cell Physiology* 44, S39-S39.

Suganuma N, Yamamoto A, Kato T, Okada T, Kawaguchi M, and Kouchi H. (2003) **Gene expression analysis in ineffective nodules of *Lotus japonicus* Fix mutant Ljsym75 with macroarray.** *Plant and Cell Physiology* 44, S79-S79.

Shimada N, Aoki T, Sato S, Kaneko T, Tabata S, and Ayabe S. (2003) **Structures of the genes involved in 5-deoxyisoflavonoid biosynthesis in *Lotus japonicus*.** *Plant and Cell Physiology* 44, S96-S96.

A.J. Márquez (Editorial Director). 2005. *Lotus japonicus* Handbook. pp. 365-381.
<http://www.springer.com/life+sci/plant+sciences/book/978-1-4020-3734-4>

Asamizu E, Nakamura Y, Sato S, and Tabata S. (2003) **Global gene expression analysis of the *Lotus japonicus* nodulation process by SAGE, and generation of novel 3' cDNA fragments.** *Plant and Cell Physiology* 44, S131-S131.

Sato S, Nakamura Y, Kaneko T, Asamizu E, Kato T, and Tabata S. (2003) **Progress in *Lotus japonicus* genome sequencing project.** *Plant and Cell Physiology* 44, S132-S132.

Sakai T. (2003) **Comprehensive preparation and utilization of mutants in the model plant of legume, *Lotus japonicus*.** *Plant and Cell Physiology* 44, S148-S148.

Inada S, Takahashi M, Okada K, and Sakai T. (2003) **Molecular genetic analysis of leaf movement induced by blue light in *Lotus japonicus*.** *Plant and Cell Physiology* 44, S195-S195.

Hanyu M, Hattori Y, and Saeki K. (2003) ***Mesorhizobium loti* genes that alter nodulation capacity of *Rhizobium etli* on *Lotus japonicus*.** *Plant and Cell Physiology* 44, S211-S211.

Umehara Y, Chen WL, and Kouchi H. (2003) **The symbiotic mutants of *Lotus japonicus* derived from the regenerated plants.** *Plant and Cell Physiology* 44, S211-S211.

Kumagai H, Shimomura K, Tajima S, and Kouchi H. (2003) **The efficacy of RNAi in *Lotus japonicus* roots and root nodules.** *Plant and Cell Physiology* 44, S211-S211.

Furuya F, Uchiumi T, Suzuki A, and Abe M. (2003) **Expression of leghemoglobin-GFP fusion gene in the hairy root of *Lotus japonicus*.** *Plant and Cell Physiology* 44, S211-S211.

Hayashi M, Tansengco M, Maekawa T, Yano K, Kawaguchi M, and Murooka Y. (2003) **Phenotype analysis of infection thread mutants in *Lotus japonicus*.** *Plant and Cell Physiology* 44, S212-S212.

Kumagai H, and Kouchi H. (2003) **Gene silencing by expression of hairpin RNA in *Lotus japonicus* roots and root nodules.** *Molecular Plant-Microbe Interactions* 16, 663-668.

Asamizu E, Kato T, Sato S, Nakamura Y, Kaneko T, and Tabata S. (2003) **Structural analysis of a *Lotus japonicus* genome. IV. Sequence features and mapping of seventy-three TAC clones which cover the 7.5 Mb regions of the genome.** *DNA Research* 10, 115-122.

Suganuma N, Nakamura Y, Yamamoto M, Ohta T, Koiwa H, Akao S, and Kawaguchi M. (2003) **The *Lotus japonicus* Sen1 gene controls rhizobial differentiation into nitrogen-fixing bacteroids in nodules.** *Molecular Genetics and Genomics* 269, 312-320.

Kato K, Okamura Y, Kanahama K, and Kanayama Y. (2003) **Nitrate-independent expression of plant nitrate reductase in *Lotus japonicus* root nodules.** *Journal of Experimental Botany* 54, 1685-1690.

Flemetakis E, Dimou M, Cotzur D, Efroze RC, Aivalakis G, Colebatch G, Udvardi M, and Katinakis P. (2003) **A sucrose transporter, LjSUT4, is up-regulated during *Lotus japonicus* nodule development.** *Journal of Experimental Botany* 54, 1789-1791.

Broughto WJ, Hernandez G, Blair M, Beebe S, Gepts P, and Vanderleyden J. (2003) **Beans (*Phaseolus* spp.) - model food legumes.** *Plant and Soil* 252, 55-128.

Gronlund M, Gustafsen C, Roussis A, Jensen D, Nielsen LP, Marcker KA, and Jensen EO. (2003) **The *Lotus japonicus* ndx gene family is involved in nodule function and maintenance.** *Plant Molecular Biology* 52, 303-316.

Lombari P, Ercolano E, El Alaoui H, and Chiurazzi M. (2003) **A new transformation-regeneration procedure in the model legume *Lotus japonicus*, root explants as a source of large numbers of cells susceptible to Agrobacterium-mediated transformation.** *Plant Cell Reports* 21, 771-777.

A.J. Márquez (Editorial Director). 2005. *Lotus japonicus* Handbook. pp. 365-381.
<http://www.springer.com/life+sci/plant+sciences/book/978-1-4020-3734-4>

Wretblad S, Bohman S, and Dixelius C. (2003) **Overexpression of a *Brassica nigra* cDNA gives enhanced resistance to *Leptosphaeria maculans* in *B-napus*.** *Molecular Plant-Microbe Interactions* 16, 477-484.

Akamine S, Nakamori K, Chechetka SA, Banba M, Umehara Y, Kouchi H, Izui K, and Hata S. (2003) **cDNA cloning, mRNA expression, and mutational analysis of the squalene synthase gene of *Lotus japonicus*.** *Biochimica et Biophysica Acta-Genes and Expression* 1626, 97-101.

Kawaguchi M. (2003) **SLEEPLESS, a gene conferring nyctinastic movement in legume.** *Journal of Plant Research* 116, 151-154.

Young ND, Mudge J, and Ellis THN. (2003) **Legume genomes, more than peas in a pod.** *Current Opinion in Plant Biology* 6, 199-204.

Kaneko T, Asamizu E, Kato T, Sato S, Nakamura Y, and Tabata S. (2003) **Structural analysis of a *Lotus japonicus* genome. III. Sequence features and mapping of sixty-two TAC clones which cover the 6.7 Mb regions of the genome.** *DNA Research* 10, 27-33.

Nakagawa T, Izumi T, Banba M, Umehara Y, Kouchi H, Izui K, and Hata S. (2003) **Characterization and expression analysis of genes encoding phosphoenolpyruvate carboxylase and phosphoenolpyruvate carboxylase kinase of *Lotus japonicus*, a model legume.** *Molecular Plant-Microbe Interactions* 16, 281-288.

Harris JM, Wais R, and Long SR. (2003) **Rhizobium-induced calcium spiking in *Lotus japonicus*.** *Molecular Plant-Microbe Interactions* 16, 335-341.

Zhang SL, Sandal N, Polowick PL, Stiller J, Stougaard J, and Fobert PR. (2003) **Proliferating Floral Organs (Pfo), a *Lotus japonicus* gene required for specifying floral meristem determinacy and organ identity, encodes an F-box protein.** *Plant Journal* 33, 607-619.

Suarez R, Marquez J, Shishkova S, and Hernandez G. (2003) **Overexpression of alfalfa cytosolic glutamine synthetase in nodules and flowers of transgenic *Lotus japonicus* plants.** *Physiologia Plantarum* 117, 326-336.

Akashi T, Sawada Y, Shimada N, Sakurai N, Aoki T, and Ayabe S. (2003) **cDNA cloning and biochemical characterization of S-adenosyl-L-methionine, 2,7,4'-trihydroxyisoflavanone 4'-O-methyltransferase, a critical enzyme of the legume isoflavonoid phytoalexin pathway.** *Plant and Cell Physiology* 44, 103-112.

Iturbe-Ormaetxe I, Haralampidis K, Papadopoulou K, and Osbourn AE. (2003) **Molecular cloning and characterization of triterpene synthases from *Medicago truncatula* and *Lotus japonicus*.** *Plant Molecular Biology* 51, 731-743.

Fei HM, Chaillou S, Hirel B, Mahon JD, and Vessey JK. (2003) **Overexpression of a soybean cytosolic glutamine synthetase gene linked to organ-specific promoters in pea plants grown in different concentrations of nitrate.** *Planta* 216, 467-474.

Imaizumi-Anraku H. (2003) **Legume nodulation and mycorrhiza formation-common genes are involved in both symbiotic interactions.** *Nippon Nogeikagaku Kaishi-Journal of the Japan Society for Bioscience Biotechnology and Agrochemistry* 77, 121-123.

Tawarayama K. (2003) **Signaling in arbuscular mycorrhizal symbiosis.** *Nippon Nogeikagaku Kaishi-Journal of the Japan Society for Bioscience Biotechnology and Agrochemistry* 77, 124-125.

Simon-Rosin U, Wood C, and Udvardi MK. (2003) **Molecular and cellular characterisation of LjAMT2,1, an ammonium transporter from the model legume *Lotus japonicus*.** *Plant Molecular Biology* 51, 99-108.

A.J. Márquez (Editorial Director). 2005. *Lotus japonicus* Handbook. pp. 365-381.
<http://www.springer.com/life+sci/plant+sciences/book/978-1-4020-3734-4>

van Spronsen PC, Tak T, Rood AMM, van Brussel AAN, Kijne JW, and Boot KJM. (2003) **Salicylic acid inhibits indeterminate-type nodulation but not determinate-type nodulation.** *Molecular Plant-Microbe Interactions* 16, 83-91.

Perry AS, Brennan S, Murphy DJ, Kavanagh TA, and Wolfe KH. (2002) **Evolutionary re-organisation of a large operon in adzuki bean chloroplast DNA caused by inverted repeat movement.** *DNA Research* 9, 157-162.

Jiang QY, and Gresshoff PM. (2002) **Shoot control of hypernodulation and aberrant root formation in the har1-1 mutant of *Lotus japonicus*.** *Functional Plant Biology* 29, 1371-1376.

Uchiumi T, Shimoda Y, Tsuruta T, Mukoyoshi Y, Suzuki A, Senoo K, Sato S, Kato T, Tabata S, Higashi S, and Abe M. (2002) **Expression of symbiotic and nonsymbiotic globin genes responding to microsymbionts on *Lotus japonicus*.** *Plant and Cell Physiology* 43, 1351-1358.

Harris J. (2002) **Shedding light on an underground problem.** *Proceeding of the National Academy of Sciences of the United States of America* 99, 14616-14618.

Nishimura R, Ohmori M, Fujita H, and Kawaguchi M. (2002) **A Lotus basic leucine zipper protein with a RING-finger motif negatively regulates the developmental program of nodulation.** *Proceeding of the National Academy of Sciences of the United States of America* 99, 15206-15210.

Aoki T, Kamizawa A, and Ayabe S. (2002) **Efficient Agrobacterium-mediated transformation of *Lotus japonicus* with reliable antibiotic selection.** *Plant Cell Reports* 21, 238-243.

Krusell L, Madsen LH, Sato S, Aubert G, Genua A, Szczyglowski K, Duc G, Kaneko T, Tabata S, de Bruijn F, Pajuelo E, Sandal N, and Stougaard J. (2002) **Shoot control of root development and nodulation is mediated by a receptor-like kinase.** *Nature* 420, 422-426.

Nishimura R, Hayashi M, Wu GJ, Kouchi H, Imaizumi-Anraku H, Murakami Y, Kawasaki S, Akao S, Ohmori M, Nagasawa M, Harada K, and Kawaguchi M. (2002) **HAR1 mediates systemic regulation of symbiotic organ development.** *Nature* 420, 426-429.

Nakamori K, Takabatake R, Umehara Y, Kouchi H, Izui K, and Hata S. (2002) **Cloning, functional expression, and mutational analysis of a cDNA for *Lotus japonicus* mitochondrial phosphate transporter.** *Plant and Cell Physiology* 43, 1250-1253.

Endo M, Hakozaki H, Kokubun T, Masuko H, Takahata Y, Tsuchiya T, Higashitani A, Tabata S, and Watanabe M. (2002) **Generation of 919 expressed sequence tags from immature flower buds and gene expression analysis using expressed sequence tags in the model plant *Lotus japonicus*.** *Genes & Genetic Systems* 77, 277-282.

Pedrosa A, Sandal N, Stougaard J, Schweizer D, and Bachmair A. (2002) **Chromosomal map of the model legume *Lotus japonicus*.** *Genetics* 161, 1661-1672.

Sandal N, Krusell L, Radutoiu S, Olbryt M, Pedrosa A, Stracke S, Sato S, Kato T, Tabata S, Parniske M, Bachmair A, Ketelsen T, and Stougaard J. (2002) **A genetic linkage map of the model legume *Lotus japonicus* and strategies for fast mapping of new loci.** *Genetics* 161, 1673-1683.

Nishimura R, Ohmori M, and Kawaguchi M. (2002) **The novel symbiotic phenotype of enhanced-nodulating mutant of *Lotus japonicus*, astray mutant is an early nodulating mutant with wider nodulation zone.** *Plant and Cell Physiology* 43, 853-859.

Wallace IS, Wills DM, Guenther JF, and Roberts DM. (2002) **Functional selectivity for glycerol of the nodulin 26 subfamily of plant membrane intrinsic proteins.** *FEBS Letters* 523, 109-112.

A.J. Márquez (Editorial Director). 2005. *Lotus japonicus* Handbook. pp. 365-381.
<http://www.springer.com/life+sci/plant+sciences/book/978-1-4020-3734-4>

- Orea A, Pajuelo P, Pajuelo E, Quidiello C, Romero JM, and Marquez AJ. (2002) **Isolation of photorespiratory mutants from *Lotus japonicus* deficient in glutamine synthetase.** *Physiologia Plantarum* 115, 352-361.
- Stracke S, Kistner C, Yoshida S, Mulder L, Sato S, Kaneko T, Tabata S, Sandal N, Stougaard J, Szczyglowski K, and Parniske M. (2002) **A plant receptor-like kinase required for both bacterial and fungal symbiosis.** *Nature* 417, 959-962.
- Nakamura Y, Kaneko T, Asamizu E, Kato T, Sato S, and Tabata S. (2002) **Structural analysis of a *Lotus japonicus* genome. II. Sequence features and mapping of sixty-five TAC clones which cover the 6.5-Mb regions of the genome.** *DNA Research* 9, 63-70.
- Podila GK. (2002) **Signaling in mycorrhizal symbioses - elegant mutants lead the way.** *New Phytologist* 154, 541-545.
- Novero M, Faccio A, Genre A, Stougaard J, Webb KJ, Mulder L, Parniske M, and Bonfante P. (2002) **Dual requirement of the LjSym4 gene for mycorrhizal development in epidermal and cortical cells of *Lotus japonicus* roots.** *New Phytologist* 154, 741-749.
- Colebatch G, Kloska S, Trevaskis B, Freund S, Altmann T, and Udvardi MK. (2002) **Novel aspects of symbiotic nitrogen fixation uncovered by transcript profiling with cDNA arrays.** *Molecular Plant-Microbe Interactions* 15, 411-420.
- Pajuelo P, Pajuelo E, Orea A, Romero JM, and Marquez AJ. (2002) **Influence of plant age and growth conditions on nitrate assimilation in roots of *Lotus japonicus* plants.** *Functional Plant Biology* 29, 485-494.
- Endo M, Matsubara H, Kokubun T, Masuko H, Takahata Y, Tsuchiya T, Fukuda H, Demura T, and Watanabe M. (2002) **The advantages of cDNA microarray as an effective tool for identification of reproductive organ-specific genes in a model legume, *Lotus japonicus*.** *FEBS Letters* 514, 229-237.
- Imaizumi R, Kameya N, Nakamura I, Ayabe S, and Aoki T. (2002) **Construction of activation tag lines of *Lotus japonicus*.** *Plant and Cell Physiology* 43, S73-S73.
- Izumi T, Nakagawa T, Banba M, Umehara Y, Kouchi H, Izui K, and Hata S. (2002) **Expression analyses of phosphoenolpyruvate Carboxylases (PEPCs) and a PEPC kinase in *Lotus japonicus*.** *Plant and Cell Physiology* 43, S74-S74.
- Shimomura K, Takane K, Nomura M, Kouchi H, and Tajima S. (2002) **Characterization of transgenic *Lotus japonicus* carrying sense and anti-sense uricase CDNA of *Lotus japonicus*.** *Plant and Cell Physiology* 43, S74-S74.
- Thu HM, Fuke T, Nomura M, Takegawa K, Asamizu E, Tabata S, and Tajima S. (2002) **Expression analysis of SNARE-like genes in *Lotus japonicus*.** *Plant and Cell Physiology* 43, S74-S74.
- Sato S, Nakamura Y, Kaneko T, Kato T, Asamizu E, and Tabata S. (2002) **A large scale genome analysis of *Lotus japonicus* - I. Genome sequencing and mapping.** *Plant and Cell Physiology* 43, S124-S124.
- Nakamura Y, Sato S, Kaneko T, Asamizu E, Kato T, and Tabata S. (2002) **A large scale genome analysis of *Lotus japonicus* - II. Annotation pipeline and WWW database.** *Plant and Cell Physiology* 43, S124-S124.
- Murakmi Y, Imaizumi-Anraku H, Kawaguchi M, Kawaski S. (2002) **HEGS/AFLP saturation mapping of causal gene of the initial process mutant of nodulation sym70 of *Lotus japonicus*.** *Plant and Cell Physiology* 43, S124-S124.
- Asamizu E, Sato S, and Tabata S. (2002) **Gene expression analysis of *Lotus japonicus* nodulation process using the micro-SAGE method.** *Plant and Cell Physiology* 43, S207-S207.

A.J. Márquez (Editorial Director). 2005. *Lotus japonicus* Handbook. pp. 365-381.
<http://www.springer.com/life+sci/plant+sciences/book/978-1-4020-3734-4>

Flemetakis E, Agalou A, Kavroulakis N, Dimou M, Martsikovskaya A, Slater A, Spink HP, Roussis A, and Katinakis P. (2002) ***Lotus japonicus* gene ljsbp is highly conserved among plants and animals and encodes a homologue to the mammalian selenium-binding proteins.** *Molecular Plant-Microbe Interactions* 15, 313-322.

Poulsen C, and Podenphant L. (2002) **Expressed sequence tags from roots and nodule primordia of *Lotus japonicus* infected with *Mesorhizobium loti*.** *Molecular Plant-Microbe Interactions* 15, 376-379.

Genre A, and Bonfante P. (2002) **Epidermal cells of a symbiosis-defective mutant of *Lotus japonicus* show altered cytoskeleton organisation in the presence of a mycorrhizal fungus.** *Protoplasma* 219, 43-50.

Roberts DM, and Tyerman SD. (2002) **Voltage-dependent cation channels permeable to NH_4^+ , K^+ , and Ca^{2+} in the symbiosome membrane of the model legume *Lotus japonicus*.** *Plant Physiology* 128, 370-378.

Kawaguchi M, Imaizumi-Anraku H, Koiwa H, Niwa S, Ikuta A, Syono K, and Akao S. (2002) **Root, root hair, and symbiotic mutants of the model legume *Lotus japonicus*.** *Molecular Plant-Microbe Interactions* 15, 17-26.

Sprent J. (2002) **Knobs, knots and nodules - the renaissance in legume symbiosis research.** *New Phytologist* 153, 2-6.

Colebatch G, Trevaskis B, and Udvardi M. (2002) **Symbiotic nitrogen fixation research in the postgenomics era.** *New Phytologist* 153, 37-42.

Kawaguchi M, Motomura T, Imaizumi-Anraku H, Akao S, and Kawasaki S. (2001) **Providing the basis for genomics in *Lotus japonicus*, the accessions Miyakojima and Gifu are appropriate crossing partners for genetic analyses.** *Molecular Genetics and Genomics* 266, 157-166.

Muller J, Wiemken A, and Boller T. (2001) **Redifferentiation of bacteria isolated from *Lotus japonicus* nroot nodules colonized by *Rhizobium* sp NGR234.** *Journal of Experimental Botany* 52, 2181-2186.

Orea A, Pajuelo P, Pajuelo E, Marquez AJ, and Romero JM. (2001) **Characterisation and expression studies of a root cDNA encoding for ferredoxin-nitrite reductase from *Lotus japonicus*.** *Physiologia Plantarum* 113, 193-202.

Hayashi M, Miyahara A, Sato S, Kato T, Yoshikawa M, Taketa M, Hayashi M, Pedrosa A, Onda R, Imaizumi-Anraku H, Bachmair A, Sandal N, Stougaard J, Murooka Y, Tabata S, Kawasaki S, Kawaguchi M, and Harada, K. (2001) **Construction of a genetic linkage map of the model legume *Lotus japonicus* using an intraspecific F-2 population.** *DNA Research* 8, 301-310.

Sato S, Kaneko T, Nakamura Y, Asamizu E, Kato T, and Tabata S. (2001) **Structural analysis of a *Lotus japonicus* genome. I. Sequence features and mapping of fifty-six TAC clones which cover the 5.4 Mb regions of the genome.** *DNA Research* 8, 311-318.

Lohar DP, Schuller K, Buzas DM, Gresshoff PM, and Stiller J. (2001) **Transformation of *Lotus japonicus* using the herbicide resistance bar gene as a selectable marker.** *Journal of Experimental Botany* 52, 1697-1702.

Salvemini F, Marini AM, Riccio A, Patriarca EJ, and Chiurazzi M. (2001) **Functional characterization of an ammonium transporter gene from *Lotus japonicus*.** *Gene* 270, 237-243.

Stougaard J. (2001) **Genetics and genomics of root symbiosis.** *Current Opinion in Plant Biology* 4, 328-335.

A.J. Márquez (Editorial Director). 2005. *Lotus japonicus* Handbook. pp. 365-381.
<http://www.springer.com/life+sci/plant+sciences/book/978-1-4020-3734-4>

Kapranov P, Routt SM, Bankaitis VA, de Bruijn FJ, and Szczyglowski K. (2001) **Nodule-specific regulation of phosphatidylinositol transfer protein expression in *Lotus japonicus*.** *Plant Cell* 13, 1369-1382.

Marsh JF, and Schultze M. (2001) **Analysis of arbuscular mycorrhizas using symbiosis-defective plant mutants.** *New Phytologist* 150, 525-532.

van Spronsen PC, Gronlund M, Bras CP, Spaink HP, and Kijne JW. (2001) **Cell biological changes of outer cortical root cells in early determinate nodulation.** *Molecular Plant-Microbe Interactions* 14, 839-847.

Niwa S, Kawaguchi M, Imaizumi-Anraku H, Chechetka SA, Ishizaka M, Ikuta A, and Kouchi H. (2001) **Responses of a model legume *Lotus japonicus* to lipochitin oligosaccharide nodulation factors purified from *Mesorhizobium loti* JRL501.** *Molecular Plant-Microbe Interactions* 14, 848-856.

Men AE, Meksem K, Kassem MA, Lohar D, Stiller J, Lightfoot D, and Gresshoff PM. (2001) **A bacterial artificial chromosome library of *Lotus japonicus* constructed in an *Agrobacterium tumefaciens*-transformable vector.** *Molecular Plant-Microbe Interactions* 14, 422-425.

Banba M, Siddique ABM, Kouchi H, Izui K, and Hata S. (2001) ***Lotus japonicus* forms early senescent root nodules with *Rhizobium etli*.** *Molecular Plant-Microbe Interactions* 14, 173-180.

Kato T, Kaneko T, Sato S, Nakamura Y, and Tabata S. (2000) **Complete structure of the chloroplast genome of a legume, *Lotus japonicus*.** *DNA Research* 7, 323-330.

Guenther JF, and Roberts DM. (2000) **Functional characterization of two members of the Major Intrinsic Protein family in nodules of the model legume *Lotus japonicus*.** *Molecular Biology of the Cell* 11, 221A-221A.

Roberts DM, and Tyerman SD. (2000) **A voltage-activated cation selective channel permeable to NH_4^+ on the symbiosome membrane of the model legume *Lotus japonicus*.** *Molecular Biology of the Cell* 11, 222A-222A.

Shimada N, Akashi T, Aoki T, and Ayabe S. (2000) **Induction of isoflavonoid pathway in the model legume *Lotus japonicus*, molecular characterization of enzymes involved in phytoalexin biosynthesis.** *Plant Science* 160, 37-47.

Ozawa R, Shimoda T, Kawaguchi M, Arimura G, Horiuchi J, Nishioka T, and Takabayashi J. (2000) ***Lotus japonicus* infested with herbivorous mites emits volatile compounds that attract predatory mites.** *Journal of Plant Research* 113, 427-433.

Ito M, Miyamoto J, Mori Y, Fujimoto S, Uchiumi T, Abe M, Suzuki A, Tabata S, and Fukui K. (2000) **Genome and chromosome dimensions of *Lotus japonicus*.** *Journal of Plant Research* 113, 435-442.

Solaiman MZ, Senoo K, Kawaguchi M, Imaizumi-Anraku H, Akao S, Tanaka A, and Obata H. (2000) **Characterization of mycorrhizas formed by *Glomus* sp on roots of hypernodulating mutants of *Lotus japonicus*.** *Journal of Plant Research* 113, 443-448.

Kawaguchi M. (2000) **Current development of *Lotus japonicus* research.** *Journal of Plant Research* 113, 449-449.

Asamizu E, Watanabe M, and Tabata S. (2000) **Large scale structural analysis of cDNAs in the model legume, *Lotus japonicus*.** *Journal of Plant Research* 113, 451-455.

Saeki K, and Kouchi H. (2000) **The lotus symbiont, *Mesorhizobium loti*, Molecular genetic techniques and application.** *Journal of Plant Research* 113, 457-465.

A.J. Márquez (Editorial Director). 2005. *Lotus japonicus* Handbook. pp. 365-381.
<http://www.springer.com/life+sci/plant+sciences/book/978-1-4020-3734-4>

Tajima S, Takane K, Nomura M, and Kouchi H. (2000) **Symbiotic nitrogen fixation at the late stage of nodule formation in *Lotus japonicus* and other legume plants.** *Journal of Plant Research* 113, 467-473.

Hayashi M, Imaizumi-Anraku H, Akao S, and Kawaguchi M. (2000) **Nodule organogenesis in *Lotus japonicus*.** *Journal of Plant Research* 113, 489-495.

Kawasaki S, and Murakami Y. (2000) **Genome analysis of *Lotus japonicus*.** *Journal of Plant Research* 113, 497-506.

Kawaguchi M. (2000) ***Lotus japonicus* 'Miyakojima' MG-20, An early-flowering accession suitable for indoor handling.** *Journal of Plant Research* 113, 507-509.

Imaizumi-Anraku H, Kouchi H, Syono K, Akao S, and Kawaguchi M. (2000) **Analysis of ENOD40 expression in alb1, a symbiotic mutant of *Lotus japonicus* that forms empty nodules with incompletely developed nodule vascular bundles.** *Molecular and General Genetics* 264, 402-410.

Cote F, Roberts KA, and Hahn MG. (2000) **Identification of high-affinity binding sites for the hepta-beta-glucoside elicitor in membranes of the model legumes *Medicago truncatula* and *Lotus japonicus*.** *Planta* 211, 596-605.

Bonfante P, Genre A, Faccio A, Martini I, Schauser L, Stougaard J, Webb J, and Parniske M. (2000) **The *Lotus japonicus* LjSym4 gene is required for the successful symbiotic infection of root epidermal cells.** *Molecular Plant-Microbe Interactions* 13, 1109-1120.

Takane K, Tajima S, and Kouchi H. (2000) **Structural and expression analysis of uricase mRNA from *Lotus japonicus*.** *Molecular Plant-Microbe Interactions* 13, 1156-1160.

Asamizu E, Nakamura Y, Sato S, and Tabata S. (2000) **Generation of 7137 non-redundant expressed sequence tags from a legume, *Lotus japonicus*.** *DNA Research* 7, 127-130.

Endo M, Kokubun T, Takahata Y, Higashitani A, Tabata S, and Watanabe M. (2000) **Analysis of expressed sequence tags of flower buds in *Lotus japonicus*.** *DNA Research* 7, 213-216.

Flemetakis E, Kavroulakis N, Quaedvlieg NEM, Spaink HP, Dimou M, Roussis A, and Katinakis P. (2000) ***Lotus japonicus* contains two distinct ENOD40 genes that are expressed in symbiotic, nonsymbiotic, and embryonic tissues.** *Molecular Plant-Microbe Interactions* 13, 987-994.

Wopereis J, Pajuelo E, Dazzo FB, Jiang QY, Gresshoff PM, de Bruijn FJ, Stougaard J, and Szczyglowski K. (2000) **Short root mutant of *Lotus japonicus* with a dramatically altered symbiotic phenotype.** *Plant Journal* 23, 97-114.

Nukui N, Ezura H, Yuhashi KI, Yasuta T, and Minamisawa K. (2000) **Effects of ethylene precursor and inhibitors for ethylene biosynthesis and perception on nodulation in *Lotus japonicus* and *Macroptilium atropurpureum*.** *Plant and Cell Physiology* 41, 893-897.

Senoo K, Solaiman MZ, Kawaguchi M, Imaizumi-Anraku H, Akao S, Tanaka A, and Obata H. (2000) **Isolation of two different phenotypes of mycorrhizal mutants in the model legume plant *Lotus japonicus* after EMS-treatment.** *Plant and Cell Physiology* 41, 726-732.

Bolte S, Schiene K, and Dietz KJ. (2000) **Characterization of a small GTP-binding protein of the rab 5 family in *Mesembryanthemum crystallinum* with increased level of expression during early salt stress.** *Plant Molecular Biology* 42, 923-936.

Guenther JF, and Roberts DM. (2000) **Water-selective and multifunctional aquaporins from *Lotus japonicus* nodules.** *Planta* 210, 741-748.

A.J. Márquez (Editorial Director). 2005. *Lotus japonicus* Handbook. pp. 365-381.
<http://www.springer.com/life+sci/plant+sciences/book/978-1-4020-3734-4>

Webb KJ, Skot L, Nicholson MN, Jorgensen B, and Mizen S. (2000) **Mesorhizobium loti increases root-specific expression of a calcium-binding protein homologue identified by promoter tagging in *Lotus japonicus***. *Molecular Plant-Microbe Interactions* 13, 606-616.

Bras CP, Jorda MA, Wijffes AHM, Harteveld M, Stuurman N, Thomas-Oates JE, and Spaik HP. (2000) **A *Lotus japonicus* nodulation system based on heterologous expression of the fucosyl transferase NodZ and the acetyl transferase Noll in *Rhizobium leguminosarum***. *Molecular Plant-Microbe Interactions* 13, 475-479.

Clarkson DT, Carvajal M, Henzler T, Waterhouse RN, Smyth AJ, Cooke DT, and Steudle E. (2000) **Root hydraulic conductance, diurnal aquaporin expression and the effects of nutrient stress**. *Journal of Experimental Botany* 51, 61-70.

Henzler T, Waterhouse RN, Smyth AJ, Carvajal M, Cooke DT, Schaffner AR, Steudle E, and Clarkson DT. (1999) **Diurnal variations in hydraulic conductivity and root pressure can be correlated with the expression of putative aquaporins in the roots of *Lotus japonicus***. *Planta* 210, 50-60.

Schauser L, Roussis A, Stiller J, and Stougaard J. (1999) **A plant regulator controlling development of symbiotic root nodules**. *Nature* 402, 191-195.

Limami A, Phillipson B, Ameziane R, Pernollet N, Jiang QJ, Poy R, Deleens E, Chaumont-Bonnet M, Gresshoff PM, and Hirel B. (1999) **Does root glutamine synthetase control plant biomass production in *Lotus japonicus* L.?** *Planta* 209, 495-502.

Roberts NJ, Brigham J, Wu B, Murphy JB, Volpin H, Phillips DA, and Etzler ME. (1999) **A Nod factor-binding lectin is a member of a distinct class of apyrases that may be unique to the legumes**. *Molecular and General Genetics* 262, 261-267.

Hussain AKMA, Jiang QY, Broughton WJ, and Gresshoff PM. (1999) ***Lotus japonicus* nodulates and fixes nitrogen with the broad host range *Rhizobium* sp NGR234**. *Plant and Cell Physiology* 40, 894-899.

Genschel U, Powell CA, Abell C, and Smith AG. (1999) **The final step of pantothenate biosynthesis in higher plants, cloning and characterization of pantothenate synthetase from *Lotus japonicus* and *Oryza sativum* (rice)**. *Biochemical Journal* 341, 669-678.

Stougaard J, Szczyglowski K, de Bruijn FJ, and Parniske M. (1999) **Genetic nomenclature guidelines for the model legume *Lotus japonicus***. *Trends in Plant Science* 4, 300-301.

Borg S, Podenphant L, Jensen TJ, and Poulsen C. (1999) **Plant cell growth and differentiation may involve GAP regulation of Rac activity**. *FEBS Letters* 453, 341-345.

Jorgensen JE, Gronlund M, Pallisgaard N, Larsen K, Marcker KA, and Jensen EO. (1999) **A new class of plant homeobox genes is expressed in specific regions of determinate symbiotic root nodules**. *Plant Molecular Biology* 40, 65-77.

Martirani L, Stiller J, Mirabella R, Alfano F, Lamberti A, Radutoiu SE, Iaccarino M, Gresshoff PM, and Chiurazzi M. (1999) **T-DNA tagging of nodulation- and root-related genes in *Lotus japonicus*, Expression patterns and potential for promoter trapping and insertional mutagenesis**. *Molecular Plant-Microbe Interactions* 12, 275-284.

Kapranov P, Jensen TJ, Poulsen C, de Bruijn FJ, and Szczyglowski K. (1999) **A protein phosphatase 2C gene, LjNPP2C1, from *Lotus japonicus* induced during root nodule development**. *Proceeding of the National Academy of Sciences of the United States of America* 96, 1738-1743.

Quaedvlieg NEM, Schlaman HRM, Admiraal PC, Wijting SE, Stougaard J, and Spaik HP. (1998) **Fusions between green fluorescent protein and beta-glucuronidase as sensitive and vital bifunctional reporters in plants**. *Plant Molecular Biology* 38, 861-873.

A.J. Márquez (Editorial Director). 2005. *Lotus japonicus* Handbook. pp. 365-381.
<http://www.springer.com/life+sci/plant+sciences/book/978-1-4020-3734-4>

Schauser L, Handberg K, Sandal N, Stiller J, Thykjaer T, Pajuelo E, Nielsen A, and Stougaard J. (1998) **Symbiotic mutants deficient in nodule establishment identified after T-DNA transformation of *Lotus japonicus*.** *Molecular and General Genetics* 259, 414-423.

Wegel E, Schauser L, Sandal N, Stougaard J, and Parniske M. (1998) **Mycorrhiza mutants of *Lotus japonicus* define genetically independent steps during symbiotic infection.** *Molecular Plant-Microbe Interactions* 11, 933-936.

Szczyglowski K, Kapranov P, Hamburger D, and de Bruijn FJ. (1998) **The *Lotus japonicus* LjNOD70 nodulin gene encodes a protein with similarities to transporters.** *Plant Molecular Biology* 37, 651-661.

Quaedvlieg NEM, Schlaman HRM, Admiraal PC, Wijting SE, Stougaard J, and Spink P. (1998) **Fusions between green fluorescent protein and beta-glucuronidase as sensitive and vital bifunctional reporters in plants.** *Plant Molecular Biology* 37, 715-727.

Szczyglowski K, Shaw RS, Wopereis J, Copeland S, Hamburger D, Kasiborski B, Dazzo FB, and de Bruijn FJ. (1998) **Nodule organogenesis and symbiotic mutants of the model legume *Lotus japonicus*.** *Molecular Plant-Microbe Interactions* 11, 684-697.

Mikami K, Ichimura K, Iuch S, Yamaguchi-Shinozaki K, and Shinozaki K. (1997) **Molecular characterization of a cDNA encoding a novel small GTP-binding protein from *Arabidopsis thaliana*.** *Biochimica et Biophysica Acta-Genes Structure and Expression* 1354, 99-104.

Thykjaer T, Finnemann J, Schauser L, Christense L, Poulsen C, and Stougaard J. (1997) **Gene targeting approaches using positive-negative selection and large flanking regions.** *Plant Molecular Biology* 35, 523-530.

Thykjaer T, Danielsen D, She Q, and Stougaard J. (1997) **Organization and expression of genes in the genomic region surrounding the glutamine synthetase gene *Gln1* from *Lotus japonicus*.** *Molecular & General Genetics* 255, 628-636.

Stiller J, Martirani L, Tuppale S, Chian RJ, Chiurazzi M, and Gresshoff PM. (1997) **High frequency transformation and regeneration of transgenic plants in the model legume *Lotus japonicus*.** *Journal of Experimental Botany* 48, 1357-1365.

Szczyglowski K, Hamburger D, Kapranov P, and deBruijn FJ. (1997) **Construction of a *Lotus japonicus* late nodulin expressed sequence tag library and identification of novel nodule-specific genes.** *Plant Physiology* 114, 1335-1346.

Imaizumi-Anraku H, Kawaguchi M, Koiwa H, Akao S, and Syono K. (1997) **Two ineffective-nodulating mutants of *Lotus japonicus* - Different phenotypes caused by the blockage of endocytotic bacterial release and nodule maturation.** *Plant and Cell Physiology* 38, 871-881.

Skot L, Gordon AJ, Timms E, James CL, Webb KJ, and Mizen S. (1997) **Down-regulation of sucrose synthase expression and activity in transgenic hairy roots of *Lotus japonicus*.** *Symbiosis* 22, 241-254.

Skadhauge B, Gruber MY, Thomsen KK, and vonWettstein D. (1997) **Leucoyanidin reductase activity and accumulation of proanthocyanidins in developing legume tissues.** *American Journal of Botany* 84, 494-503.

Kapranov P, deBruijn FJ, and Szczyglowski K. (1997) **Novel, highly expressed late nodulin gene (*LjNOD16*) from *Lotus japonicus*.** *Plant Physiology* 113, 1081-1090.

Borg S, Brandstrup B, Jensen TJ, and Poulsen C. (1997) **Identification of new protein species among 33 different small GTP-binding proteins encoded by cDNAs from *Lotus japonicus*, and expression of corresponding mRNAs in developing root nodules.** *Plant Journal* 11, 237-250.

A.J. Márquez (Editorial Director). 2005. *Lotus japonicus* Handbook. pp. 365-381.
<http://www.springer.com/life+sci/plant+sciences/book/978-1-4020-3734-4>

Skot L, Minchin FR, Timms E, Fortune MT, Webb KJ, and Gordon AJ. (1996) **Analysis of the two nodulins, sucrose synthase and ENOD2, in transgenic *Lotus* plants.** *Plant and Soil* 186, 99-106.

Jiang QY, and Gresshoff PM. (1997) **Classical and molecular genetics of the model legume *Lotus japonicus*.** *Molecular Plant-Microbe Interactions* 10, 59-68.

Tajima S, Takane K, Ohkawa K, Sugimoto A, and Okazaki K. (1996) **Preparation of a monoclonal antibody against soybean nodule uricase (nod-35), and immunoblot analysis of the expression of nod-35 in tissues of various legumes.** *Plant and Cell Physiology* 37, 1188-1192.

Pillai SV, Funke RP, and Gresshoff PM. (1996) **Yeast and bacterial artificial chromosome (YAC and BAC) clones of the model legume *Lotus japonicus*.** *Symbiosis* 21, 149-164.

Grant WF, and Small E. (1996) **The origin of the *Lotus corniculatus* (Fabaceae) complex, A synthesis of diverse evidence.** *Canadian Journal of Botany-Revue Canadienne de Botanique* 74, 975-989.

Kawaguchi M, Imaizumi-Anraku H, Fukai S, and Syono K. (1996) **Unusual branching in the seedlings of *Lotus japonicus* - Gibberellins reveal the nitrogen-sensitive cell divisions within the pericycle on roots.** *Plant and Cell Physiology* 37, 461-470.

Waterhouse RN, Smyth AJ, Massonneau A, Prosser IM, and Clarkson DT. (1996) **Molecular cloning and characterisation of asparagine synthetase from *Lotus japonicus*, Dynamics of asparagine synthesis in N-sufficient conditions.** *Plant Molecular Biology* 30, 883-897.

Oger P, Petit A, and Dessaux Y. (1996) **A simple technique for direct transformation and regeneration of the diploid legume species *Lotus japonicus*.** *Plant Science* 116, 159-168.

Stougaard, J and Beuselinck, PR. (1996) **Registration of GIFU B-129-S9 *Lotus japonicus* germplasm.** *Crop Science* 36, 476-476.

Thykjaer T, Stiller J, Handberg K, Jones J, and Stougaard J. (1995) **The maize transposable element *Ac* is mobile in the legume *Lotus japonicus*.** *Plant Molecular Biology* 27, 981-993.

Schauser L, Christensen L, Borg S, and Poulsen C (1995) **PZF, A cDNA isolated from *Lotus japonicus* and soybean root-nodule libraries, encodes a new plant member of the ring-finger family of zinc-binding proteins.** *Plant Physiology* 107, 1457-1458.

Stougaard J. (1993) **Substrate-dependent negative selection in plants using a bacterial cytosine deaminase gene.** *Plant Journal* 3, 755-761.

Handberg K, and Stougaard J. (1992) ***Lotus japonicus*, an autogamous, diploid legume species for classical and molecular genetics.** *Plant Journal* 2, 487-496.

A.J. Márquez (Editorial Director). 2005. *Lotus japonicus* Handbook. pp. 365-381.
<http://www.springer.com/life+sci/plant+sciences/book/978-1-4020-3734-4>




Figure 1. Evolution in the number of *Lotus japonicus*-related articles published per year. (Source of information: ISI Web of Knowledge, up to January 2005).