

Recent Lotus Publications

- Adams, R.J. and Smith, M.V. 1977. Scanning electron microscope and light microscope studies of pollens of some Leguminosae. J. Agric. Res. 16: 99-106.
- Barta, A.L. 1978. Effect of root temperature on dry matter distribution, carbohydrate accumulation, and actylene reduction activity in alfalfa and birdsfoot trefoil. Crop Sci. 18: 637-640.
- Beuret, E. 1977. The presence in the central Appenines of a hexaploid race of Lotus corniculatus. Bull. Soc. Neuchatel. Sci. Nat. 100: 107-112.
- Beuret, E. 1977. Contribution à l'étude de la distribution géographique et de la physiologie de taxons affines di- et polyploides. Bibl. Botanica, 133: 1-80.
- Brighton, F. and Horne, M.T. 1977. Influence of temperature on cyanogenic polymorphisms. Nature (London), 265(5593): 437-438.
- Brullo, S., Furnari, F. and Longitano, N. 1975. Map of the coastal plain vegetation to the Northeast of Bengasi Cyrenaica. G. Bot. Ital. 109(4/5): 317.
- Celebioglu, T. 1977. Etudes morphologiques et cytologiques sur les espèces du Dorycnium de la Turquie. Biyoloji Dergisi, 27(2-4): 1-77.
- Ceruti, A. and Fiusselo, N. 1972. The flavonoids of the petals of Lotus corniculatus in relation to altitude. Atti Accad. Sci. Torino Cl. Sci. Fis. Mat. Nat. 106: 333-350.
- Charlton, J.F.L. 1978. Slugs as a possible cause of establishment failure in pasture legumes oversown in boxes. N.Z. Exp. Agric. 6: 313-317.
- Charlton, J.F.L., Wilson, E.R.L. and Ross, M.D. 1978. Plant introduction trials. Performance of Lotus corniculatus introductions as spaced plants in Manawatu. N.Z.J. Exp. Agric. 6: 201-206.
- Chubirko, M.M. 1972. Pistil and ovule formation and macro sporogenesis in Lotus corniculatus. Byull. Mosk. O. Ispyt. Prir. Otd. Biol. 77: 125-131.
- Chueca, M.C. 1974. Karyologic study of some species of Lotus. Genet. Iberica, 26-27: 57-77.
- Craig, A.S. and Greenwood, R.M. 1973. Ultrastructural inclusions of rhizobial bacteroids of Lotus nodules and their taxonomic significance. Arch. Mikrobiol. 89: 23-32.
- Crawford-Sidebotham, T.J. 1972. The role of slugs and snails in the maintenance of the cyanogenesis polymorphisms of Lotus corniculatus and Trifolium repens. Heredity, 28: 405-411.

- Dionne, J.L. and Pesant, A.R. 1978. Effets des doses de bore, des regimes hydriques et du pH des sols sur les rendements de la Luzerne et du lotier et sur l'assimilabilite du bore. *Can. J. Soil Sci.* 58: 369-379.
- Ellis, W.M., Keymer, R.J. and Jones, D.A. 1976. Data and tables of normal and inverse association analyses of plant species in 2 transects on the dunes along the cline for cyanogenesis in Lotus corniculatus between Katwijk and Wassenaarslag Netherlands. *Evol. Genet. Res. Rep.* 21: 1-8.
- Forde, M.B. and de Lautour, G. 1978. Plant introduction trials. Classification of Lotus introductions. *N.Z.J. Exp. Agric.* 6: 293-297.
- Gorski, P.M., Jurzysta, M. and Rzakowski-Bodalska, H. 1975. Flavonoids from the birdsfoot trefoil seeds Lotus corniculatus. *Acta. Soc. Bot. Pol.* 44: 289-295.
- Hoveland, C.S., Haaland, R.L., Eason, J.T., Ruf, M.E. and Burgess, E. 1978. Birdsfoot trefoil - legume of the future in north Alabama. *Highlights of Agric. Res.* 25:
- Howarth, R.E., Goplen, B.P., Fesser, A.C. and Brandt, S.A. 1978. A possible role for leaf cell rupture in legume pasture bloat. *Crop Sci.* 18:129-133.
- Jay, M., Hasan, A., Voirin, B. and Viricel, M.-R. 1978. Les flavonoïdes du Lotus corniculatus. *Phytochemistry*, 17: 829-830.
- Jay, M., Hasan, A. and Voirin, B.V. and Viricel, M.-R. 1978. The flavonoids of Lotus corniculatus. *Phytochemistry* 17: 827-829.
- Keymer, R. and Ellis, W.M. 1978. Experimental studies on plants of Lotus corniculatus L. from Anglesey polymorphic for cyanogenesis. *Heredity*, 40: 189-206.
- Khayrallah, W.A. 1979. Selection for seedling vigor and a quantitative genetic analysis of agronomic characters in diallel crosses within and between two cultivars of birdsfoot trefoil (Lotus corniculatus L.). Ph.D. Thesis for McGill University.
- Kretschmer, A.E. Jr. 1978. Selection and breeding of legumes in Florida. *Proc. South Pasture Forage Crop Improvement Conf.* 35: 23-25.
- Isely, D. 1978. New varieties and combinations in Lotus, Baptisia, Thermopsis and Sophora (Leguminosae). *Brittonia*, 30: 466-472.
- Jones, D., Keymer, R.J. and Ellis, W.M. 1978. Cyanogenesis in plants and animal feeding. *In* Biochemical aspects of plant and animal coevolution. Edited by J.B. Harborne. Academic Press. pp. 21-34.
- Laskey, B.C. and Wakefield, R.C. 1978. Competitive effects of several grass species and weeds on the establishment of Birdsfoot trefoil. *Agron. J.* 70: 146-148.
- de Lautour, G., Jones, W.T. and Ross, M.D. 1978. Production of interspecific hybrids in Lotus aided by endosperm transplants. *N.Z.J. Bot.* 16: 61-68.

- Linscott, D.L. and Hagin, R.D. 1978. Weed control during establishment of Birdsfoot trefoil (Lotus corniculatus) and red clover (Trifolium pratense) with EPTC and Dinoseb. *Weed Sci.* 26: 497-501.
- Manuel Lainz, S.J. 1973. Lotus subbiflorus and Lotus castellanus binomials best retained in common usage. *Candollea* 28: 13-14.
- Marten, G.C. and Jordan, R.M. 1978. Substitution value of Birdsfoot trefoil for alfalfa-grass in pasture systems. Paper no. 10, 286, *Sci. J. Ser. Minn. Agric. Exp. Stn. and USDA, SEA, FR.* 55-59.
- Moussavi, M. 1975. Study of different species of Lotus in Iran. *Entomol. Phytopathol. Appl.* 39:1-29.
- Mullett, J.H. 1978. Report of the seed moisture and storage committee working group on seed moisture determination methods for small seeded legumes 1974-1977. *Seed Sci. Technol.* 6: 355-361.
- Niizeki, M. 1977. Haploid polyploid and aneuploid plants from cultured anthers and calluses in species of Nicotiana and forage crops. *J. Fac. Agric. Hokkaido Univ.* 58: 343-466.
- Ohashi, H. and Tateishi, Y. 1974. Lotus corniculatus and Lotus tenuis in Japan. *Shokubutsu Kenkyu Zasshi* 49: 73-75.
- Padron, J.P. 1978. Essais d'elimination des graines dures dans les lots de semences de Medicago sativa, Trifolium pratense et Lotus corniculatus. *Seed Sci. Technol.* 6: 679-684.
- Schaaf, H.M. and Hill, R.R., Jr. 1978. Cross-fertility differentials in birdsfoot trefoil. *Crop Sci.* 19: 451-454.
- Soos, T. 1975. Production of Rhizobium preparations in Hungary. Proc. of the VII Meeting of the Soil Biology Section of the Society for Soil Science of the Hungarian Assn. of Agric. Sci. Budapest *Akademiai Kiado: Vol. EEE* p. 181-185.
- Tomes, D.T. 1978. Practical utilization of tissue culture procedures in a plant breeding program. *Can. J. Plant Sci.* 58: 586.
- Tomes, D.T. 1979. A tissue culture procedure for propagation and maintenance of Lotus corniculatus genotypes. *Can. J. Bot.* 57: 137-140.
- Urbanska-Worytkiewicz, K. 1979. Recherches démographiques en botanique: certains aspects et implications évolutives. *Bu. Soc. bot. Fr.* 126, *Lettres bot.*, 4: 445-451.
- Urbanska-Worytkiewicz, K., Schwank, O. and Fossati, A. 1979. Variation with Lotus corniculatus L.s.l. from Switzerland. II. Reproductive behaviour of Lotus alpinus (DC) Schleicher. *Ber. - éobot. Inst. Eidg. Tech. Hochsch. Stift. Kébel, Zürich*, 46: 62-85.
- Uttal, L.J. 1977. Lotus tenuis in Virginia U.S.A. *Castanea*, 42: 170-173.

- Valen, F. van. 1979. Contribution to the knowledge of cyanogenesis in antiosperms. XIII. Cyanogenesis in some Papilionaceae (Loteae, Coronilleae, and Trifolieae). *Planta Med.* 35: 141-149.
- Visona, L., Naviglio, L. and Macri, A. 1973. Presence of chloroplasts in Lotus corniculatus nodules. *Ann. Bot. (Rome)* 31: 109-113.
- Williams, G.H. 1978. Some factors affecting the nodulation of Lotus in hill land. *Ann. Appl. Biol.* 88: 450-453.
- Williams, W.T. and Potter, J.R. 1972. The coastal strand community at Morro Bay State Park, Calif. (Autecology studies of the flora which includes Lotus scoparius). *Bull. Torrey Bot. Club*, 99: 163-171.
- Wilson, E.R.L. 1978. Effect of grass grub on establishment of legume seedlings in pots. *N.Z.J. Agric. Res.* 21: 727-731.
- Wilson, E.R.L. 1978. White clover and grass grub. II. Screening 74 overseas lines for resistance and tolerance. *N.Z.J. Agric. Res.* 21: 723-726.