

Recent References on Lotus

(Please send references to the Editor for inclusion in Vol. 4)

- Fernandes, A., and Santos, M. de F. 1971. Contribution à la connaissance cytotaxinomique des Spermatophyta du Portugal. IV. Leguminosae. Boletim de Sociedade Broteriana 45: 177-225.
- Foulds, W. 1972. The influence of soil moisture on the frequency of cyanogenic plants in populations of Trifolium repens and Lotus corniculatus. Heredity 28: 143-146.
- Greub, L. J., and Wedin, W. F. 1971. Leaf area, dry-matter production, and carbohydrate reserve levels of birdsfoot trefoil as influenced by cutting height. Crop Science 11: 734-738.
- Hegnauer, V. R. 1971. Probleme der Chemotaxonomie, erläutert am Beispiel der cyanogenen Pflanzenstoffe. Pharmaceutica Acta Helvetia 46: 585-601.
- Jones, D. A. 1970. On the polymorphism of cyanogenesis in Lotus corniculatus L. III. Some aspects of selection. Heredity 25: 633-641.
- Jones, D. A. 1972. "Cyanogenic Glycosides and their Function", pp. 103-124, In Phytochemical Ecology. J.B. Harborne (ed.). Academic Press.
- Jones, D. A. 1972-3. On the polymorphism of cyanogenesis in Lotus corniculatus L. IV. The Netherlands. Genetica 43: In press
- Jones, D. A. 1972-3. Polymorphism and the agents of selection. Heredity 28: In press.
- Jones, D. A. 1972-3. On the polymorphism of cyanogenesis in Lotus corniculatus L. V. Denmark. Heredity. In press.
- Jones, D. A. The polymorphism of keel colour in Lotus corniculatus L. In preparation.

- Jones, D. A. On the polymorphism of cyanogenesis in Lotus corniculatus L. VI. The distribution of the cyanogenic form in Europe. In preparation.
- Jones, D. A. Coevolution and cyanogenesis. In preparation.
- Nass, H. G. 1972. Cyanogenesis: Its inheritance in Sorghum bicolor, Sorghum sudanense, Lotus, and Trifolium repens--A review. *Crop Sci.* 12: 504-506.
- Niizeki, M., and Grant, W. F. 1971. Callus, Plantlet formation, and polyploidy from cultured anthers of Lotus and Nicotiana. *Can. J. Bot.* 49: 2041-2051. (Reprints have all been distributed).
- Rommann, L. M., Gerloff, E. D., and Moore, R. A. 1971. Soluble proteins of alfalfa, white clover, and birdsfoot trefoil. *Crop Sci.* 11: 792-795.
- Somaroo, B. H., and Grant, W. F. 1971. Chromosome differentiation in diploid species of Lotus (Leguminosae). *Theoret. Appl. Genet.* 42: 34-40.
- Somaroo, B. H., and Grant, W. F. 1971. Meiotic chromosome behavior in induced autotetraploids and amphidiploids in the Lotus corniculatus group. *Can. J. Genet. Cytol.* 13: 663-671.
- Somaroo, B. H., and Grant, W. F. 1972. Crossing relationships between synthetic Lotus amphidiploids and L. corniculatus. *Crop Sci.* 12: 103-105.
- Somaroo, B. H., and Grant, W. F. 1972. Meiotic chromosome behavior in tetraploid hybrids between synthetic Lotus amphidiploids and L. corniculatus. *Can. J. Genet. Cytol.* 14: 57-64.
- Sz.-Borsos, O. 1971. Comparative anatomical investigations on Lotus corniculatus L. agg. II. *Acta Bot. Acad. Sci. Hung.* 17: 321-346.
- Sz.-Borsos, O., Somaroo, B. H., and Grant, W. F. 1972. A new diploid species of Lotus (Leguminosae) in Pakistan. *Can. J. Bot.* 50: 1865-1870.
- Twamley, B. E. 1972. Genotypic, phenotypic, and geno-phenotypic methods of selection for seedling vigor in birdsfoot trefoil. *Can. J. Plant Sci.* 52: 227-232.