

Recent Lotus Publications

- Abbott, R.J. 1977. A quantitative association between soil moisture content and the frequency of the cyanogenic form of Lotus corniculatus L. at Birsay, Orkney. *Heredity* 38: 397-400.
- Angulo, M.D. and Real, M.C. 1977. A new basic chromosome number in the genus Lotus. *Can. J. Bot.* 55: 1848-1850.
- Anon. 1977. First plants placed on endangered species list. *Calif. Native Plant Soc. Bull.* Oct.-Nov. (Lotus scoparius spp. traskiae).
- Balarin, I. 1975. A contribution to the knowledge of trends in the population density of the lucerne bug (Adelphocoris lineolatus Gz.,) in lucerne and red clover fields and in areas under Lotus corniculatus in Croatia. *Conspectus Agriculturae Scientificus*, 35: 89-100.
- Braverman, S.W. 1976. A leaf spot of Lotus corniculatus and Lotus spp. caused by Myrothecium verrucaria. *Plant. Dis. Rep.* 60, 1065-1068.
- Buga, G. and Protase, A. 1976. Studiul histochimic al proteinelor se al acizilor nucleici la 6 specii cultivate ale genului Lotus L. *Stud. Univ. Babeş-Bolyai Biol.* 21, 21-25.
- Buturovic, D. 1974. Some characteristics of 1 virus isolate from Birdsfoot trefoil. *Mikrobiologija (Belgr)* 11: 173-180.
- Chrtkova-Zertova, A. 1974. Notices on Lotus corniculatus L. in Poland. *Fragmenta Floristica et Geobotanica.* Ann. XX: 21-24.
- Chueca, M.C. 1974/75. Karyologic study of some species of Lotus. *Genet. Iber.*, 26-27: 55-77.
- Corrias, S.D. and Corrias, B. 1977. Taxonomic and Geobotanical notes on the Italian flora. Part 19 Lotus-Alpinus in Sardinia. *Webbia* 30: 299-302.
- de Araujo, J.C. and Jacques, A.V.A. 1975. Caracteristicas morfologicas e producao de materia seca de cornichao (Lotus corniculatus L.) colhido em diferentes estadios de crescimento e a duas alturas de corte. *Rev. Fac. Agron. UFRGS, Porto Alegre*, 1: 5-17.
- Dolan, D.D., S.W. Braverman, B.J. Fiori and W.R. Sherring. 1976. Northeast Regional Plant Introduction Station Cumulative Trefoil Catalog, Serial Publication Number 28. 26 pp.

- Ellis, W.M., Keymer, R.J. and Jones, D.A. 1977. The defensive function of cyanogenesis in natural populations. *Experientia* 33, 309-310.
- Ellis, W.M., Keymer, R.J. and Jones, D.A. 1977. The effect of temperature on the polymorphism of cyanogenesis in Lotus corniculatus L. *Heredity* 38, 339-347.
- Ellis, W.M., Keymer, R.J. and Jones, D.A. 1977. On the polymorphism of cyanogenesis in Lotus corniculatus L. VIII. Ecological studies in Anglesey. *Heredity* 39, 45-65.
- Farrell, J.A.K., Sweney, W.J. and Jones, A.E. 1974. Plant resistance to the porina caterpillar Wiseana cervinata (Lepidoptera: Hepialidae). I. Resistance in legumes and grasses. *N.Z. Journal of Agricultural Research* 17: 373-378.
- Foulds, W. 1977. Physiological response to moisture supply of cyanogenic and acyanogenic phenotypes of Trifolium repens L. & Lotus corniculatus L. *Heredity*, In press.
- Foulds, W. and Young, L. 1977. The effect of frosting, moisture stress and potassium cyanide on the metabolism of cyanogenic and acyanogenic phenotypes of L. corniculatus and T. repens. *Heredity*, 38: 19-24.
- Freed, H.J. and Grant, W.F. 1976. Polytene chromosomes in the suspensor cells of Lotus (Fabaceae). *Caryologia* 29: 387-390.
- Genest Jean and Dionne, J.L. 1976. Influence du dalapon et des éléments N,P,K sur la germination et le début de la croissance de trois légumineuses fourragères (Lotus corniculatus, Medicago sativa et Trifolium repens). *Can. J. Plant Sci.* 56: 665-672.
- Gibson, D.E., Hayes, P. and Laidlaw, A.S. 1975. The influence of phosphate and lime on the growth and N fixation of Lotus uliginosus and Trifolium repens under greenhouse conditions. *J. Br. Grassld Soc.* 30, 295-301.
- Johnson, M. 1976. Potentiometric method, for the determination of fluoride in vegetation. *Fluoride* 9, 54-63.
- Jones, D.A. 1977. On the polymorphism of cyanogenesis in Lotus corniculatus L. VII. The distribution of the cyanogenic form in Western Europe. *Heredity* 39, 27-44.
- Jones, W.T., Broadhurst, R.B. and Lyttleton, J.W. 1976. The condensed tannins of pasture legume species. *Phytochemistry* 15: 1407-1409.

- Kowalczyk, B. and C.R. Bell. 1975. Pollination ecology of Hedysarum spp., Fabaceae, in the Yukon. Association Southeastern Biologists Bulletin 22(2): 60. [Abstract]
- Lainz, M. y Colaboradores. 1976. Aportaciones al conocimiento de la flora Cantabro-Astur, XI. Bol. Inst. Estudios Asturianos (Suppl. Ciencias) 22: 3-44. (Page 17, Anthyllis vulneraria L., discussed).
- Lowther, W.L. 1976. Effect of various pelleting materials on establishment and growth of Lotus pedunculatus. Proceedings of the N.Z. Grassland Assoc. 37: 221-227.
- Lowther, W.L. 1977. Comparison of Huia white clover and Maku lotus oversown separately or as a mixture. Proceedings of the N.Z. Grassland Assoc. 38: 133-139.
- Marchenay, P. 1975. The lotus of the marshes of Dombes Lotus uliginosus. J. Agric. Trop. Bot. Appl., 22: 143-158.
- Morris, M.G. 1975. Apion sicardi; New record. A species of weevil (Coleoptera, Apionidae) new to Britain. (Lotus spp. are its host plant.).
- Munns, D.N., Fox, F.L. and Koch, B.L. 1977. Influence of lime on nitrogen fixation by tropical and temperate legumes. Plant Soil 46: 591-602.
- Munns, D.N. and Fox, R.L. 1977. Comparative lime requirements of tropical and temperate legumes. Plant Soil 46, 533-548.
- Ortega, J. 1976. Citogenetica del genero Lotus en Macaronesia I. Numeros de Cromosomas. Bot. Macaronesica 1: 17-24.
- Pankiw, P., Bonin, S.G. and Lieverse, J.A.C. 1977. Effects of row spacing and seeding rates on seed yield in red clover alsike clover and birdsfoot trefoil. Can. J. Plant Sci. 57: 413-418.
- Pereira, M.E.A. and Ksbat, E.A. 1974. Blood group specificity from Lotus tetragonolobus (Tetragonolobus purpureus). Ann. N.Y. Acad. Sci. 234: 301-305.
- Rao, V.R. 1977. Effect of temperature on the nitrogenase activity of intact and detached nodules in Lotus and Stylosanthes. J. Exp. Bot. 28: 261-267.
- Sandha, G.S., Twanley, B.E. and Christie, B.R. 1977. Analysis of quantitative variability for seed yield and related characters in Lotus corniculatus L. cv. Leo. Euphytica 26: 113-122.

- Schaaf, H. M. 1977. Cross-fertility in birdsfoot trefoil, Lotus corniculatus L. Agron. Abstr. p. 70.
- Scogin, R. L. and Young, D.A. 1975. Awobanin from the birdsfoot trefoil (Lotus corniculatus, Leguminosae). Aliso 8: 1973-1976 (3): 273-274.
- Smolenski, S.J., Silinis, H. and Farnsworth, N.R. 1974. Alkaloid screening. IV. Lloydia 37: 30-61. Lotus salsuginosus Greene U.S.A. - alkaloids present in Rt, St, Lf, Fl. - aqueous ethanolic extracts - collected 04/65 - Test - L. strigosus Greene, U.S.A. - Rt, St, Lf, Fl, Fr. collected 04/65 Test -
- St. John. 1976. The flora of Mt. St. Helens, Washington. The Mountaineer (Seattle) 70(7): 65-78. [An account of the ecology and the vascular flora of this mountain in the southern Cascade Mountains, Washington. The checklist includes one species of Lotus].
- Sz.-Borsos, O. 1976. [Lotus corniculatus L.]. Magyarorszag Kulturfloraja 3(7): 1-115.
- Taylor, A.O. and Hughes, K.A. 1977. The potential role of legumes in maize grain and forage cropping systems. Proc. Agron. Soc. N.Z. 6: 49-52.
- Templeton, W.C., Taylor, T.H.Jr., Wyles, J.W. and Woolfolk, P.G. 1976. Seed production and stand regeneration of Bigflower Vetch, Vicia grandiflora var. Kitaibeliana W. Koch, Grown with cool-season forage grasses. Agronomy Journal 68: 267-271.
- Thompson, L.S. and Willis, C.B. 1976. Efficacy of multiple applications of oxamyl and phenamiphos for control of Pratylenchus penetrans in Birdsfoot trefoil. J. Nematology, 8: 342-346.
- Tomes, D. T. 1976. Plant regeneration from callus cultures of Lotus corniculatus L. Agron. Abstr. 1976 Annu. Meet. Crop Sci. dsc. Am. p. 64. Abstr.
- Townshend, J.L. and Potter, J.W. 1976. Evaluation of forage legumes, grasses, and cereals as hosts of forage nematodes. Nematologica 22: 196-201.